VOLUME 76 • AUTHOR INDEX

Adler M *see* Kinghorn G *et al*
Adu-Sarkodie Y *et al*. Syndromic management of urethral discharge in Ghanaian pharmacies, **439**
af Geijerstamm V *see* Kibur M *et al*
Agnoletto V *see* Martini M *et al*
Aguilera A *see* Machuca A *et al*
Allan PS *see* Das S *et al*
Alvarez F *see* Coggins C *et al*
Andersson K *see* Löwhagen G-B *et al*
Andrews N *see* Hughes G *et al*
Apers L *see* Temmerman M *et al*
Aral SO. Patterns of sexual mixing: mechanisms for or limits to the spread of STIs?: *editorial*, **415**
Ashbee HR *see* Walker PP *et al*
Ashcroft M *see* Shahmanesh M *et al*
Attafuah J *see* Adu-Sarkodie Y *et al*
Avila C *see* Newell A *et al*

Babiker A *see* Stephenson JM and Babiker A
Baker M *see* Petrak J *et al*
Barker P *see* Winter AJ *et al*
Barmi K *see* Fisk P *et al*
Barna S *see* López-Zetina J *et al*
Barrasso R *see* von Krogh G *et al*
Barton S *see* Saville M *et al*
Bassett MT *see* Machekano RN *et al*
Bates S, Talbot M. Short course oral prednisolone therapy in chronic abacterial prostatitis and prostatodynia: case reports of three responders and one non-responder, **398**
Bates SM, Rogstad KE. Postal research: too many problems?: *editorial*, **332**
Baum MK *see* Persaud NE *et al*
Beattie GJ *see* Cubie HA *et al*
Beltrame A *see* Matteelli A *et al*
Bergström S *see* Osman NB *et al*
Bergström T *see* Löwhagen G-B *et al*
Berry G *see* Marks C *et al*
see Mindel A *et al*
Bhaduri S *et al*. Pyogenic granuloma of the penis—don't squeeze them, **217**
Bhattacharjee B, Ghosh AK. Gonorrhoea: an incidence graph of Mersey region data for the 1990s and discussion on the factors behind the changing pattern of incidence: *letter*, **323**
Bhattacharjee B *et al*. A study on the possible association of dysfunctional uterine bleeding with bacterial vaginosis, mycoplasma, ureaplasma, and *Gardnerella vaginalis*: *letter*, **407**
Bingham JS *see* Kinghorn G *et al*
Blanchard K *see* Coggins C *et al*
Bodin L *see* Kamwendo F *et al*
Boeke AJP *see* van Valkengoed IGM *et al*
Bond M *see* Hughes G *et al*
Booss J *see* Marra CM and Booss J
Bosch FX *see* de Sanjosé S *et al*
Bouter LM *see* van Valkengoed IGM *et al*
Bowden FJ, Garnett GP. *Trichomonas vaginalis* epidemiology: parameterising and analysing a model of treatment interventions, **248**
Bower M *see* Powles T *et al*
Brache V *see* Coggins C *et al*
Brady AR *see* Hughes G *et al*
Brayson J *see* Wilcox MH *et al*
British Cooperative Clinical Group. Screening for HIV infection in genitourinary medicine clinics: a lost opportunity?, **307**
Brooks J *see* Shahmanesh M *et al*
Brown AE *see* Jenkins RA *et al*
Brown C *see* Walker PP *et al*
Brown D *see* Saville M *et al*
Brown DW *see* Vyse AJ *et al*
Bruce JC *see* Saul J *et al*
Brugha R *see* Pierpoint T *et al*
Bryant M *see* Cherry CL *et al*
Burgess C *see* Saville M *et al*
Buvé A *see* Grosskurth H *et al*
see Watson-Jones D *et al*
Bwayo J *see* Fonck K *et al*
see Temmerman M *et al*
Bwayo JJ *see* Feldblum PJ *et al*
Byrne A *see* Petrak J *et al*

Caballero E *see* Machuca A *et al*
Cage M *see* Kalichman SC *et al*
Cañadas MP *see* de Sanjosé S *et al*
Carder C *see* Stephenson J *et al*
Carosi G *see* Matteelli A *et al*
Carter JS, Kemp DJ. A colorimetric detection system for *Calymmatobacterium granulomatis* , **134**
Cartoux M *see* Sombié I *et al*
Castellsagué X *see* de Sanjosé S *et al*
Catania S *see* Suligoi B *et al*
Catchpole M *see* Hughes G *et al*
see Hughes G *et al*
Catchpole MA *see* Van der Heyden JHA *et al*
Chalker J *et al*. STD management by private pharmacies in Hanoi: practice and knowledge of drug sellers, **299**
Challis K *see* Osman NB *et al*
Chapman C *see* Ross J *et al*
Chapple ILC, Hamburger J. The significance of oral health in HIV disease: *review*, **236**
Chatel G *see* Matteelli A *et al*
Chen S *see* Garland SM *et al*
Cherry CL *et al*. HIV associated cytomegalovirus retinitis in Melbourne, Australia: *letter*, **221**
Chien PFW *see* Ghaly AFF and Chien PFW
Chiodo F *see* Manfredi R and Chiodo F
Chippindale S *et al*. Conference news, **218**
Chuc NTK *see* Chalker J *et al*
Churchill D *et al*. HIV associated culture proved tuberculosis has increased in north central London from 1990 to 1996, **43**
Claeys P *see* Fonck K *et al*
see Temmerman M *et al*
Cleophas B *see* Grosskurth H *et al*
Cleophas-Frisch B *see* Watson-Jones D *et al*
Coggins C *see* Ponce ECL *et al*
Coggins C *et al*. Preliminary safety and acceptability of a carrageenan gel for possible use as a vaginal microbicide, **480**
Coker R *see* Churchill D *et al*
Colvin M, Sharp B. Sexually transmitted infections and HIV in a rural community in the Lesotho highlands, **39**
Conde A *see* Green EC and Conde A
Conde-Glez CJ *see* Ponce ECL *et al*
Copas A *see* Stephenson J *et al*
Cotiro M *see* Osman NB *et al*
Cowan F *see* Saville M *et al*
Coyaji K *see* Vishwanath S *et al*
Cubie HA *et al*. A longitudinal study of HPV detection and cervical pathology in HIV infected women, **257**
Cummins C *see* Winter AJ *et al*
Cunningham A *see* Mindel A *et al*
Cusan M *see* Suligoi B *et al*

Dabis F *see* Sombié I *et al*
Danielsson D *see* Kamwendo F *et al*
Dao B *see* Sombié I *et al*
Das S *et al*. Investigation of the increased incidence of gonorrhoea diagnosed in GUM clinics in England, in 1994–6: *letter*, **496**
David N *et al*. Ciprofloxacin 250 mg for treating gonococcal urethritis and cervicitis: *letter*, **495**
Sexually transmitted infections in elderly people: *letter*, **222**
Davies A *see* Rogstad KE *et al*
Day S *see* Ward H *et al*
Dayan L *et al*. Condoms and warts: *letter*, **220**
Deayton JR. Is cytomegalovirus viraemia a useful tool in managing CMV disease?, **342**
DeGraaff B *see* Cherry CL *et al*
Dehne KL *see* Riedner G *et al*
de Lejarazu RO *see* Machuca A *et al*
Depraetere K *see* van Damme L *et al*
de Sanjosé S *et al*. Prevalence of HPV cervical infections among imprisoned women in Barcelona, Spain: *letter*, **58**
Devillé W *see* van Valkengoed IGM *et al*
de Zoysa I *see* Vishwanath S *et al*
Dhurat RS *see* Goyal NN *et al*
Diclemente RJ *see* Rhodes SD *et al*
Dillner J *see* Kibur M *et al*
Dimcevski G *see* Kjær HO *et al*
Diseker RA *et al*. Circumcision and STD in the United States: cross sectional and cohort analyses, **474**
Do NT *see* Chalker J *et al*
Domeika M *et al*. Genital *Chlamydia trachomatis* infections in Lithuanian women invited for screening via newspaper advertisement: a pilot study, **216**
Donovan B *see* Estcourt CS *et al*
see Kinghorn G *et al*
Donovan B. The repertoire of human efforts to avoid sexually transmissible diseases: past and present Part 1: Strategies used before or instead of sex, **7**
The repertoire of human efforts to avoid sexually transmissible diseases: past and present. Part 2: Strategies used during or after sex, **88**
Dougacheva LG *see* Gomberg MA and Dougacheva LG
Douglas JM *see* Diseker RA *et al*
Drulyte O *see* Domeika M *et al*

Duncan RC *see* Persaud NE *et al*
Dunn J *see* Shahmanesh M *et al*

Edgardh K. Sexual behaviour and early coitarche in a national sample of 17 year old Swedish girls, **98**
Edwards A *see* Luzzi GA and Edwards A
see Riddell L *et al*
Elias C *see* Coggins C *et al*
Elias CJ *see* Vishwanath S *et al*
Ellen JM *et al.* Are adolescents being screened for sexually transmitted diseases? A study of low income African American adolescents in San Francisco, **94**
Ellertson C *see* Coggins C *et al*
Erwin J *see* Saul J *et al*
Eslick GD. *Helicobacter pylori* infection transmitted sexually via oral-genital contact: a hypothetical model, **489**
Estambale B *see* Fonck K *et al*
Estcourt CS *see* Dayan L *et al*
see Fethers K *et al*
see Marks C *et al*
Estcourt CS *et al.* HIV, sexually transmitted infections, and risk behaviours in male commercial sex workers in Sydney, **294**
European Study Group *see* Van der Heyden JHA *et al*
Evans DTP. Retrospective study of male lichen sclerosus and outcome in Leicester: 1995–9 inclusive: experience of a genitourinary medicine clinic: *letter*, **495**
Evans DTP *et al.* Ethnicity and country of acquisition of HIV in the current Leicester genitourinary medicine clinic cohort: *letter*, **407**
Evans EGV *see* Walker PP *et al*
Evans J *see* Matthews M *et al*

Fairley CK *see* Cherry CL *et al*
Falkenberg T *see* Chalker J *et al*
Farina C *see* Matteelli A *et al*
Feldblum P. The power of information and contraceptive choice in a family planning setting in Mexico: *letter*, **497**
Feldblum PJ *et al.* Baseline STD prevalence in a community intervention trial of the female condom in Kenya, **454**
Feleke W *see* Matteelli A *et al*
Fethers K *et al.* Sexually transmitted infections and risk behaviours in women who have sex with women, **345**
Fisk P *et al.* Chaperoning male patients: *letter*, **495**
Fisk PG *see* Bhaduri S *et al*
see Evans DTP *et al*
Folgosa E *see* Osman NB *et al*
Fonck K *see* Temmerman M *et al*
Fonck K *et al.* Validity of the vaginal discharge algorithm among pregnant and non-pregnant women in Nairobi, Kenya, **33**
Ford W *see* López-Zetina J *et al*
Forslin L *see* Kamwendo F *et al*
Forsyth-Benson D *see* Hughes G *et al*
Fox PA *et al.* Cheilitis in association with indinavir: *letter*, **323**
Frith P *see* Miller RF *et al*

Gaffney J *see* Ziersch A *et al*
Garland SM *et al.* Assessment of *Chlamydia trachomatis* prevalence by PCR and LCR in women presenting for termination of pregnancy, **173**
Garnett GP *see* Bowden FJ and Garnett GP
Gaston JSH. Immunological basis of chlamydia induced reactive arthritis: *review*, **156**
Gavyole A *see* Grosskurth H *et al*
Gay NJ *see* Vyse AJ *et al*
Gayed S *see* Shahmanesh M *et al*
Genç M, Ledger WJ. Syphilis in pregnancy: *review*, **73**
Georgala C *see* Georgala S *et al*
Georgala S *et al.* Syphilis screening programme in Athens, 1974–98, **53**
Gerbase A *see* Matteelli A *et al*
Ghaly AFF, Chien PFW. Chronic pelvic pain: clinical dilemma or clinician's nightmare, **419**
Ghidinelli M *see* Matteelli A *et al*
Ghosh AK *see* Bhattacharjee B and Ghosh AK
see Bhattacharjee B *et al*
see Hernon M *et al*
Gibbs T *see* Vyse AJ *et al*
Gichangi P *see* Temmerman M *et al*
Giovannoni G *see* Green AJE *et al*
see Miller RF *et al*
Girelli G *see* Suligoi B *et al*
Goh B. Eric Dunlop, **235**
Goldman M *see* Hughes G *et al*
Goldmeier D. Tertiary syphilis: *letter*, **222**
Goldmeier D *et al.* Prevalence of sexual dysfunction in new heterosexual attenders at a central London genitourinary medicine clinic in 1998, **208**
Gomberg MA, Dougacheva LG. Russian *STI: letter*, **323**
Gopal R *see* Vyse AJ *et al*
Goyal NN *et al.* Carbamazepine in Reiter's syndrome: *letter*, **220**
Green A *see* Ward H *et al*
Green AJE *see* Miller RF *et al*
Green AJE *et al.* Cerebrospinal fluid tau concentrations in HIV infected patients with suspected neurological disease, **443**
Green EC, Conde A. Sexual partner reduction and HIV infection: *letter*, **145**
Greene L *et al.* Extrapulmonary tuberculosis masking disseminated histoplasmosis in AIDS, **54**
Griffiths M. AIDS and globalisation: *letter*, **497**
Gromyko A *see* Riedner G *et al*
Gross G *see* von Krogh G *et al*
Grosskurth H *see* Watson-Jones D *et al*
Grosskurth H *et al.* Operational performance of an STD control programme in Mwanza Region, Tanzania, **426**
Group ATHSS *see* Machuca A *et al*
Gupta S *see* Gupta S *et al*
see Kumar B and Gupta S
Gupta S, Kumar B. Dorsal perforation of prepuce: a common end point of severe ulcerative genital diseases?, **210**
Gupta S *et al.* A "stone" in the vulva, **319**
Multiple, genital lobular capillary haemangioma (pyogenic granuloma) in a young woman: a diagnostic puzzle, **51**

Haines A *see* Stephenson J *et al*
Hall AJH *see* Cherry CL *et al*
Hall-Craggs MA *see* Green AJE *et al*
Hallen A *see* Domeika M *et al*
Hallo J *see* Garland SM *et al*
Hamburger J *see* Chapple ILC and Hamburger J
Hannan M *see* Churchill D *et al*
Harindra V *see* Tobin JM *et al*
Hawkins DA *see* Fox PA *et al*
Hayes R *see* Grosskurth H *et al*
see Watson-Jones D *et al*
Heimburger A *see* Ponce ECL *et al*
Hellard ME *see* Cherry CL *et al*
Hengge UR, Tietze G. Successful treatment of recalcitrant condyloma with topical cidofovir: *letter*, **143**
Hennessy MH *see* Macke BA *et al*
Hergenrather KC *see* Rhodes SD *et al*
Hernon M *et al.* Phone sex: information technology (IT) and sexually transmitted infection in young people: *letter*, **322**
Hines B *see* Wilson JD and Hines B
Hoff G *see* Kjær HO *et al*
Hope VD *et al.* Relation between information and advice provision to male GUM clinic attendees and sexual orientation and ethnic group, **198**
Hopwood J *see* Hernon M *et al*
Hopwood J *et al.* Canary to sparrow; what is in a name?: *letter*, **321**
Howard M *see* Sellors JW *et al*
Howard MR *see* Miller RF *et al*
Howling SJ *see* Miller RF *et al*
Hoy CM *see* Wilcox MH *et al*
Hoy JF *see* Cherry CL *et al*
Hughes G *et al.* Comparison of risk factors for four sexually transmitted infections: results from a study of attenders at three genitourinary medicine clinics in England, **262**
Investigation of the increased incidence of gonorrhoea diagnosed in genitourinary medicine clinics in England, 1994–6, **18**

Iatesta M *see* Diseker RA *et al*
Iii *see* Diseker RA *et al*

Jain VK *see* Gupta S *et al*
Jaisankar TJ *see* Singh S *et al*
Jakabsone I *see* Rubins A *et al*
Jamroentana V *see* Jenkins RA *et al*
Jaoko W *see* Fonck K *et al*
Jenkins RA *et al.* Willingness to participate in HIV-1 vaccine trials among young Thai men, **386**
Jerajani HR *see* Goyal NN *et al*
Joesoef R *see* Schmid G *et al*
Johannisson G *see* Löwhagen G-B *et al*
Johnson AM *see* Estcourt CS *et al*
Johnston G *see* Bhaduri S *et al*
Judd A *see* Goldmeier D *et al*
see Pierpoint T *et al*

Kalichman SC *et al.* Sexually transmitted infections among HIV seropositive men and women, **350**
Kamb ML *see* Diseker RA *et al*
Kamwendo F *et al.* Epidemiology of ectopic pregnancy during a 28 year period and the role of pelvic inflammatory disease, **28**
Kanwar AJ *see* Thami GP *et al*
Karanja G *see* Temmerman M *et al*
Karikas GA *see* Georgala S *et al*
Kassa A *see* Matteelli A *et al*
Katzenstein DA *see* Machekano RN *et al*
Kaur S *see* Thami GP *et al*
Kemp DJ *see* Carter JS and Kemp DJ
Kent C *see* Diseker RA *et al*
Kerndt P *see* López-Zetina J *et al* al
Khandwalla HE *et al.* Knowledge, attitudes, and practices regarding sexually transmitted infections among general practitioners and medical specialists in Karachi, Pakistan, **383**

Kibur M *et al.* Attack rates of human papillomavirus type 16 and cervical neoplasia in primiparous women and field trial designs for HPV16 vaccination, **13**
Kidula N *see* Fonck K *et al*
Kilmarx PH *see* Coggins C *et al*
Kinghorn G *see* Hughes G *et al*
Kinghorn G *et al.* An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases*, **5**
Kiragu D *see* Temmerman M *et al*
Kirui P *see* Fonck K *et al*
Kitchen V *see* van Damme L *et al*
Kjar HO *et al.* Recurrence of urogenital *Chlamydia trachomatis* infection evaluated by mailed samples obtained at home: 24 weeks' prospective follow up study, **169**
Klaskala WI *see* Persaud NE *et al*
Kocjan G *see* Whitely W *et al*
Koskela P *see* Kibur M *et al*
Koumans E *see* Schmid G *et al*
Kumar B *see* Gupta S and Kumar B
see Gupta S *et al*
see Gupta S *et al*
Kumar B, Gupta S. Rising HIV prevalence in STD clinic attenders at Chandigarh (north India)— a relatively low prevalence area: *letter*, **59**
Kupek E *see* Churchill D *et al*
Kuyoh M *see* Feldblum PJ *et al*
Ky-Zerbo O *see* Sombié I *et al*

Lacarra M *see* Coggins C *et al*
Lacey CJN *see* von Krogh G *et al*
Laga M *see* van Damme L *et al*
see Watson-Jones D *et al*
Laird SM *see* Morton RS and Laird SM
Lane MA *see* Ellen JM *et al*
Langer A *see* Ponce ECL *et al*
Latif AS *see* Machekano RN *et al*
Lau R *see* Chippindale S *et al*
Ledger WJ *see* Genç M and Ledger WJ
Lehtinen M *see* Kibur M *et al*
Lewis DA. Diagnostic tests for chancroid, **137**
Llanes R *et al.* Detection of penicillinase producing *Neisseria gonorrhoeae* strains in Cuba, 1995–8: *letter*, **58**
Lloveras B *see* de Sanjosé S *et al*
López-Zetina J *et al.* Predictors of syphilis seroreactivity and prevalence of HIV among street recruited injection drug users in Los Angeles County, 1994–6, **462**
Löwhagen G-B *et al.* First episodes of genital herpes in a Swedish STD population: a study of epidemiology and transmission by the use of herpes simplex virus (HSV) typing and specific serology, **179**
Luby S *see* Khandwalla HE *et al*
Lucas SB *see* Greene L *et al*
see Miller RF *et al*
Luostarinen T *see* Kibur M *et al*
Luzzi GA, Edwards A. Bladder carcinoma presenting to genitourinary medicine departments: *letter*, **143**

Mabey D *see* Grosskurth H *et al*
see Watson-Jones D *et al*
MacArthur C *see* Hope VD *et al*
McCright J *see* Ellen JM *et al*
McFarlane M *see* Macke BA *et al*
Machekano RN *et al.* Report of sexually transmitted diseases by HIV infected men during follow up: time to target the HIV infected?, **188**
Machuca A *et al.* Prevalence of HTLV infection in pregnant women in Spain, **366**
Macke BA *et al.* Predictors of time spent on partner notification in four US sites, **371**
McKinlay M *see* van Damme L *et al*
McLean KA *see* Shaw AJ and McLean KA
McMillan A. The COPE Report 1999: *editorial*, **68**
Malamba SS *see* Morgan D *et al*
Malhotra N *see* Vajpayee M *et al*
Mallinson H *see* Hernon M *et al*
see Hopwood J *et al*
Mandelbrot L *see* Sombié I *et al*
Manfredi R, Chiodo F. Features of AIDS and AIDS defining diseases during the highly active antiretroviral therapy (HAART) era, compared with the pre-HAART period: a case-control study: *letter*, **145**
Mårdh P-A *see* Kinghorn G *et al*
Markowitz L *see* Schmid G *et al*
Markowitz LE *see* Jenkins RA *et al*
Marks C *see* Estcourt CS *et al*
see Fethers K *et al*
see Mindel A *et al*
Marks C *et al.* Assessment of risk for pelvic inflammatory disease in an urban sexual health population, **470**
Marra CM, Booss J. Does brain penetration of anti-HIV drugs matter?: *editorial*, **1**
Marrazzo JM. Sexually transmitted infections in women who have sex with women: who cares?: *editorial*, **330**
Martínez I *see* Llanes R *et al*
Martini M *et al.* Perceptions of disease and therapy are factors influencing adherence to antiretroviral therapy: *letter*, **496**
Mason CJ *see* Jenkins RA *et al*
Massai R *see* Coggins C *et al*
Matteelli A *et al.* Passive sentinel surveillance system for sexually transmitted diseases in primary healthcare sites in Ethiopia, 1991–3, **131**
Matthews G *see* Powles T *et al*
Matthews M *et al.* Psychological consequences of sexual assault among female attenders at a genitourinary medicine clinic, **49**
Maw R. Comparing guidelines for the management of anogenital warts: *editorial*, **153**
Mayanja B *see* Morgan D *et al*
Mayaud P *see* Grosskurth H *et al*
see Watson-Jones D *et al*
Mbizvo MT *see* Machekano RN *et al*
Meaden J *see* Matthews M *et al*
Meda N *see* Sombié I *et al*
Mee RA *see* Rogstad KE *et al*
Meijer CJLM *see* van Valkengoed IGM *et al*
Mengoli C *see* Saville M *et al*
Mercey D *see* Hughes G *et al*
Mijch AM *see* Cherry CL *et al*
Miller R *see* Churchill D *et al*
see Shahmanesh M *et al*
Miller RF *see* Green AJE *et al*
see Shahmanesh M *et al*
see Whitely W *et al*
Miller RF *et al.* Detection of 14-3-3 brain protein in cerebrospinal fluid of HIV infected patients: *letter*, **408**
Herpesvirus infection of eye and brain in HIV infected patients, **282**
Immune reconstitution CMV pneumonitis: *letter*, **60**
Pleural effusions in patients with AIDS, **122**
Mindel A *see* Dayan L *et al*
see Estcourt CS *et al*
see Fethers K *et al*
see Kinghorn G *et al*
see Marks C *et al*
Mindel A *et al.* Neonatal herpes prevention: a minor public health problem in some communities, **287**
Mishell D *see* Coggins C *et al*
Mkanje R *see* Grosskurth H *et al*
Monaghan S *see* Cubie HA *et al*
Monterroso E *see* López-Zetina J *et al*
Morgan C *see* Fisk P *et al*
Morgan D *et al.* Survival by AIDS defining condition in rural Uganda, **193**
Morgan-Capner P *see* Vyse AJ *et al*
Morré SA *see* van Valkengoed IGM *et al*
Morton RS *see* Kinghorn G *et al*
Morton RS, Laird SM. Ambrose J King, **418**
Mosha F *see* Watson-Jones D *et al*
Moyes A *see* Phillips DJ *et al*
Mugeye K *see* Watson-Jones D *et al*
Mullis D *see* Hope VD *et al*
Murray A *see* Bhattacharjee B *et al*
Murray AE *see* Bhattacharjee B *et al*
Murray C *see* Ross J *et al*
Murthy SK *see* Rogstad KE *et al*
Mwijarubi E *see* Grosskurth H *et al*
Myers A *see* Hughes G *et al*

Nasta P *see* Martini M *et al*
Natin D *see* Ross J *et al*
Ndeki L *see* Grosskurth H *et al*
see Watson-Jones D *et al*
Ndinya-Achola J *see* Fonck K *et al*
see Temmerman M *et al*
Nelson M *see* Churchill D *et al*
Newell A *et al.* Photosensitivity reaction to efavirenz: *letter*, **221**
Nitayaphan S *see* Jenkins RA *et al*

O'Farrell N. Chancroid in the United Kingdom: *editorial*, **67**
Okongo M *see* Morgan D *et al*
Olesen F *see* Kjær HO *et al*
O'Mahony C. At last I've been awarded the BTA!, **320**
Fortune's child, **142**
Listening man—an oxymoron, **494**
"Sidies", **57**
Why didn't you park there? Now we'll be late!, **406**
Omari M *see* Feldblum PJ *et al*
Orem J *see* Morgan D *et al*
Orroth K *see* Grosskurth H *et al*
Osman NB *et al.* An intervention study to reduce adverse pregnancy outcomes as a result of syphilis in Mozambique, **203**
Østergaard L *see* Kjær HO *et al*
Ouangré A *see* Sombié I *et al*

Paavonen J *see* Kibur M *et al*
see Kinghorn G *et al*
Page J *see* Mindel A *et al*
Paget WJ *see* Van der Heyden JHA *et al*
Pala S *see* Suligoi B *et al*
Palù G *see* Suligoi B *et al*
Pallecaros A *see* Ward H *et al*
Palu G *see* Saville M *et al*
Pandey RM *see* Vajpayee M *et al*
Panja SK *see* Tchamouroff SE and Panja SK
Parazzini F *see* Martini M *et al*
Patrizio C *see* Phillips DJ *et al*
Pecorella I *see* Miller RF *et al*
Perrons CJ *see* Miller RF *et al*
Perry K *see* Saville M *et al*
Persaud NE *et al*. Sexually transmitted infections, drug use, and risky sex among female sex workers in Guyana, **318**
Peterman TA *see* Diseker RA *et al*
Peters B *see* Greene L *et al*
see Saul J *et al*
see Whitely W *et al*
Petrak J *see* Matthews M *et al*
Petrak J *et al*. The association between abuse in childhood and STD/HIV risk behaviours in female genitourinary (GU) clinic attendees, **457**
Phillips DJ *et al*. The *sac-4* gene of *Neisseria gonorrhoeae* and co-existing chlamydial infection, **400**
Pierpoint T *et al*. Prevalence of *Chlamydia trachomatis* in young men in north west London, **273**
Pittrof R. WSW status needs further definition: *letter*, **497**
Ponce ECL *et al*. The power of information and contraceptive choice in a family planning setting in Mexico, **277**
Poulter L *see* van Damme L *et al*
Powles T *et al*. AIDS related systemic non-Hodgkin's lymphoma: *review*, **335**
Pozniak AL *see* Greene L *et al*
Prasad R *see* Vishwanath S *et al*
Profy A *see* van Damme L *et al*
Pukkala E *see* Kibur M *et al*

Radcliffe K *see* Chippindale S *et al*
see Hope VD *et al*
Radotra BD *see* Gupta S *et al*
Rahman S *see* Khandwalla HE *et al*
Rajamanoharan S *see* David N *et al*
see David N *et al*
Rashid S. Is partner notification in the public interest?: *letter*, **145**
Read JS. Preventing mother to child transmission of HIV: the role of caesarean section: *editorial*, **231**
Reid AJ *see* Miller RF *et al*
Renton A *see* Pierpoint T *et al*
Reynolds MT *see* Walker PP *et al*
see Wilcox MH *et al*
Rhodes F *see* Diseker RA *et al*
Rhodes SD *et al*. Hepatitis B vaccination in a high risk MSM population: the need for vaccine education: *letter*, **408**
Ricci E *see* Martini M *et al*
Riddell L *et al*. Clinical features of lichen sclerosus in men attending a department of genitourinary medicine, **311**
Ridgway G *see* Stephenson J *et al*
Riedner G *et al*. Recent declines in reported syphilis rates in eastern Europe and central Asia: are the epidemics over?, **363**
Riley VC *see* Evans DTP *et al*
Ripa T *see* Kinghorn G *et al*
Robinson A *see* Stephenson J *et al*
Rodgers ME *see* Newell A *et al*
Rogers PA *see* Hughes G *et al*
Rogstad K *see* Ross J *et al*
Rogstad KE *see* Bates SM and Rogstad KE
Rogstad KE *et al*. The management of *Chlamydia trachomatis:* combined community and hospital study, **493**
Rohrsheim R *see* Estcourt CS *et al*
Rompa D *see* Kalichman SC *et al*
Roopnarainsingh R *see* Shahmanesh M *et al*
Rosenstein I *see* van Damme L *et al*
Ross J *see* Shahmanesh M *et al*
Ross J *et al*. How much interest is the internet to patients?, **393**
Roy RB *see* Kinghorn G *et al*
Rubins A *et al*. Syphilis and gonorrhoea in the Baltic countries, **214**
Rubins S *see* Rubins A *et al*
Rwakatare M *see* Grosskurth H *et al*
Ryan KA *see* Feldblum PJ *et al*

Salmeron J *see* Ponce ECL *et al*
Salvatierra A *see* Coggins C *et al*
Sandström E *see* Kinghorn G *et al*
Santopadre P *see* Suligoi B *et al*
Saul J *et al*. Ethnic and demographic variations in HIV/AIDS presentation at two London referral centres 1995–9, **215**
Saville M *et al*. An evaluation of near patient tests for detecting herpes simplex virus type-2 antibody, **381**
Schachter J *see* Kinghorn G *et al*
Schiller J *see* Kibur M *et al*
Schmid G *et al*. Bacterial vaginosis and HIV infection: *editorial*, **3**
Schneider A *see* von Krogh G *et al*
Schofield CBS *see* Kinghorn G *et al*
Schroeder K *see* Goldmeier D *et al*
Schulpis KH *see* Georgala S *et al*
Seagar AL *see* Cubie HA *et al*
Searle S *see* Rogstad KE *et al*
Seifert C *see* Mindel A *et al*
Sellors JW *et al*. A new visual indicator of chlamydial cervicitis?, **46**
Seth P *see* Vajpayee M *et al*
Shah KV *see* de Sanjosé S *et al*
Shahmanesh M *see* Shahmanesh M *et al*
Shahmanesh M. Farewell to Gutenberg?: *editorial*, **329**
Shahmanesh M *et al*. AIDS and globalisation: *editorial*, **154**
Geomapping of chlamydia and gonorrhoea in Birmingham, **268**
Inferior vena cava filters for HIV infected patients with pulmonary embolism and contraindications to anticoagulation, **395**
Sharp B *see* Colvin M and Sharp B
Shaw AJ, McLean KA. Atrial myxoma and HIV infection: *letter*, **144**
Shaw PJ *see* Miller RF *et al*
see Miller RF *et al*
see Shahmanesh M *et al*
Shepstone L *see* Matthews M *et al*
Sherrard J *see* Riddell L *et al*
Simms I, Stephenson JM. Pelvic inflammatory disease epidemiology: what do we know and what do we need to know?: *review*, **80**
Simpson JM *see* Dayan L *et al*
Singh S *et al*. Sexual co-transmission of HIV, hepatitis B, and hepatitis C viruses, **317**
Sloan NL *see* Ponce ECL *et al*
Slomka MJ *see* Vyse AJ *et al*
Smith R *see* Shahmanesh M *et al*
Sombié I *et al*. Seroprevalence of syphilis among women attending urban antenatal clinics in Burkina Faso, 1995–8, **314**
Soriano V *see* Machuca A *et al*
Sosa J *see* Llanes R *et al*
Sriskandabalan P *see* Winter AJ *et al*
Staughton RCD *see* Fox PA *et al*
Steiner MJ *see* Adu-Sarkodie Y *et al*
Stephenson J *et al*. Home screening for chlamydial genital infection: is it acceptable to young men and women?, **25**
Stephenson JM *see* Simms I and Stephenson JM
Stephenson JM, Babiker A. Overview of study design in clinical epidemiology, **244**
Stevenson M *see* Ross J *et al*
Stroobant A *see* Van der Heyden JHA *et al*
Sujatha S *see* Singh S *et al*
Suligoi B *et al*. Dorsal perforation of prepuce: a common end point of severe ulcerative genital diseases?, **210**

Tabrizi S *see* Garland SM *et al*
Takkar D *see* Vajpayee M *et al*
Talbot M *see* Bates S and Talbot M
Talwar V *see* Vishwanath S *et al*
Tang A *see* David N *et al*
Tariq A *see* Whitely W *et al*
Taylor J *see* Mindel A *et al*
Taylor-Robinson D *see* Pierpoint T *et al*
Tchamouroff SE, Panja SK. The association between receptive cunnilingus and bacterial vaginosis: *letter*, **144**
Temmerman M *see* Fonck K *et al*
Temmerman M *et al*. Effect of a syphilis control programme on pregnancy outcome in Nairobi, Kenya, **117**
Thami GP *et al*. Lymphatic filariasis—lest we forget: *letter*, **321**
Thappa DM *see* Singh S *et al*
Thin N *see* Hughes G *et al*
Thin RN. John David Oriel, **417**
Thin RNT *see* Kinghorn G *et al*
Thomas B *see* Pierpoint T *et al*
Thompson C. Azithromycin *v* oxytetracycline for the treatment of non-specific urethritis: *letter*, **222**
Thompson EJ *see* Green AJE *et al*
see Miller RF *et al*
Tideman RL *see* Marks C *et al*
see Mindel A *et al*
Tiendrébéogo S *see* Sombié I *et al*
Tietze G *see* Hengge UR and Tietze G
Tobin JM *et al*. The future of chlamydia screening: *editorial*, **233**
Todd J *see* Grosskurth H *et al*
see Watson-Jones D *et al*
Tomlinson DR *see* Ziersch A *et al*
Tomson G *see* Chalker J *et al*
Torugsa K *see* Jenkins RA *et al*
Trudinger B *see* Mindel A *et al*
Tucker LJ *see* Tobin JM *et al*
Tunbäck P *see* Löwhagen G-B *et al*
Turner TB *see* Kinghorn G *et al*
Tuset C *see* Machuca A *et al*
Tweedy K *see* Adu-Sarkodie Y *et al*

Vajpayee M *et al.* HIV seropositivity in women with syphilis in Delhi, India: *letter*, **59**
Valls I *see* de Sanjosé S *et al*
van Bergen JEAM. Acceptability of home screening for chlamydial infection: some remaining issues: *letter*, **321**
Van Damme L *et al.* A phase I study of a novel potential intravaginal microbicide, PRO 2000, in healthy sexually inactive women, **126**
van den Brule AJC *see* van Valkengoed IGM *et al*
van de Perre P *see* Sombié I *et al*
Van der Heyden JHA *et al.* Trends in gonorrhoea in nine western European countries, 1991–6, **110**
Vandersmissen V *see* van Damme L *et al*
Van Dyck E *see* van Damme L *et al*
Van Renterghem L *see* Temmerman M *et al*
van Valkengoed IGM *et al.* Low diagnostic accuracy of selective screening criteria for asymptomatic *Chlamydia trachomatis* infections in the general population, **375**
Vishwanath S *et al.* Syndromic management of vaginal discharge among women in a reproductive health clinic in India, **303**
von Krogh G *et al.* European course on HPV associated pathology: guidelines for primary care physicians for the diagnosis and management of anogenital warts, **162**
Vullo V *see* Suligoi B *et al*
Vyse AJ *et al.* The burden of infection with HSV-1 and HSV-2 in England and Wales: implications for the changing epidemiology of genital herpes, **183**

Wade AAH *see* Das S *et al*
see Winter AJ *et al*
Wagner K *see* Mindel A *et al*
Walker PP *et al.* Vaginal yeasts in the era of "over the counter" antifungals, **437**
Walter SD *see* Sellors JW *et al*
Wang Z *see* Kibur M *et al*
Ward H *et al.* Health issues associated with increasing use of "crack" cocaine among female sex workers in London, **292**
Watson-Jones D *et al.* High prevalence of trichomoniasis in rural men in Mwanza, Tanzania: results from a population based study, **355**
Waugh M *see* Kinghorn G *et al*
Waugh M. The British Co-operative Clinical Group (BCCG): *editorial*, **4**
Weber J *see* van Damme L *et al*
Weber M *see* López-Zetina J *et al*
Weisberg E *see* Coggins C *et al*
Wellsteed S *see* Hopwood J *et al*
Welsh M *see* Feldblum PJ *et al*
Wen LM *see* Dayan L *et al*
West B *see* Watson-Jones D *et al*
Whitely W *et al.* Pyrexia of undetermined origin in the era of HAART, **484**
Whitworth JAG *see* Morgan D *et al*
Wilcox MH *et al.* Combined cervical swab and urine specimens for PCR diagnosis of genital *Chlamydia trachomatis* infection, **177**
Wildman G *see* David N *et al*
Williams ARW *see* Cubie HA *et al*
Williams I *see* Churchill D *et al*
Williams IG *see* Miller RF *et al*
Wilson JD, Hines B. Nurse counselling for women with abnormal cervical cytology improves colposcopy and cytology follow up attendance rates: *letter*, **322**
Winikoff B *see* Ponce ECL *et al*
Winter AJ *et al.* Sociodemography of genital *Chlamydia trachomatis* in Coventry, UK, 1992–6, **103**
Witwatwongwana P *see* Coggins C *et al*
Woerhle T *see* López-Zetina J *et al*
Wright A *see* van Damme L *et al*

Yaro S *see* Sombié I *et al*
Yee LJ *see* Rhodes SD *et al*
Young H *see* Phillips DJ *et al*
Young H. Guidelines for serological testing for syphilis, **403**

Zenilman JM *see* Diseker RA *et al*
Zhou PS *see* Machekano RN *et al*
Ziersch A *et al.* STI prevention and the male sex industry in London: evaluating a pilot peer education programme, **447**

VOLUME 76 • SUBJECT INDEX

adolescent sexuality, Sexual behaviour and early coitarche in a national sample of 17 year old Swedish girls, **98**
adolescents, Are adolescents being screened for sexually transmitted diseases? A study of low income African American adolescents in San Francisco, **94**
adult T cell leukaemia/lymphoma, Prevalence of HTLV infection in pregnant women in Spain, **366**
advice, Relation between information and advice provision to male GUM clinic attendees and sexual orientation and ethnic group, **198**
Africa, Survival by AIDS defining condition in rural Uganda, **193**
AIDS, AIDS and globalisation: *editorial*, **154**
AIDS and globalisation: *letter*, **497**
AIDS related systemic non-Hodgkin's lymphoma: *review*, **335**
Cerebrospinal fluid tau concentrations in HIV infected patients with suspected neurological disease, **443**
Does brain penetration of anti-HIV drugs matter?: *editorial*, **1**
Extrapulmonary tuberculosis masking disseminated histoplasmosis in AIDS, **54**
Features of AIDS and AIDS defining diseases during the highly active antiretroviral therapy (HAART) era, compared with the pre-HAART period: a case-control study: *letter*, **145**
Herpesvirus infection of eye and brain in HIV infected patients, **282**
Inferior vena cava filters for HIV infected patients with pulmonary embolism and contraindications to anticoagulation, **395**
Report of sexually transmitted diseases by HIV infected men during follow up: time to target the HIV infected?, **188**
Sexual partner reduction and HIV infection: *letter*, **145**
Survival by AIDS defining condition in rural Uganda, **193**
The significance of oral health in HIV disease: *review*, **236**
algorithm, Validity of the vaginal discharge algorithm among pregnant and non-pregnant women in Nairobi, Kenya, **33**
anogenital warts, Comparing guidelines for the management of anogenital warts: *editorial*, **153**
European course on HPV associated pathology: guidelines for primary care physicians for the diagnosis and management of anogenital warts, **162**
anticoagulation, Inferior vena cava filters for HIV infected patients with pulmonary embolism and contraindications to anticoagulation, **395**
antifungal drug resistance, Vaginal yeasts in the era of "over the counter" antifungals, **437**
antiretroviral therapy, Perceptions of disease and therapy are factors influencing adherence to antiretroviral therapy: *letter*, **496**
atrial myxoma, Atrial myxoma and HIV infection: *letter*, **144**
attack rate, Attack rates of human papillomavirus type 16 and cervical neoplasia in primiparous women and field trial designs for HPV16 vaccination, **13**
attitudes and practices, Knowledge, attitudes, and practices regarding sexually transmitted infections among general practitioners and medical specialists in Karachi, Pakistan, **383**
Australia, HIV associated cytomegalovirus retinitis in Melbourne, Australia: *letter*, **221**
azithromycin, Azithromycin *v* oxytetracycline for the treatment of non-specific urethritis: *letter*, **222**

bacterial pneumonia, Pleural effusions in patients with AIDS, **122**
bacterial vaginosis, A study on the possible association of dysfunctional uterine bleeding with bacterial vaginosis, mycoplasma, ureaplasma, and *Gardnerella vaginalis*: *letter*, **407**
Bacterial vaginosis and HIV infection: *editorial*, **3**
The association between receptive cunnilingus and bacterial vaginosis: *letter*, **144**
Baltic countries, Syphilis and gonorrhoea in the Baltic countries, **214**
bladder carcinoma, Bladder carcinoma presenting to genitourinary medicine departments: *letter*, **143**
brain, Does brain penetration of anti-HIV drugs matter?: *editorial*, **1**
brain protein, Detection of 14-3-3 brain protein in cerebrospinal fluid of HIV infected patients: *letter*, **408**
British Co-operative Clinical Group, The British Co-operative Clinical Group (BCCG): *editorial*, **4**
Burkina Faso, Seroprevalence of syphilis among women attending urban antenatal clinics in Burkina Faso, 1995–8, **314**

caesarean section, Preventing mother to child transmission of HIV: the role of caesarean section: *editorial*, **231**
Calymmatobacterium granulomatis, A colorimetric detection system for *Calymmatobacterium granulomatis* , **134**
carbamazepine, Carbamazepine in Reiter's syndrome: *letter*, **220**
carrageenan, Preliminary safety and acceptability of a carrageenan gel for possible use as a vaginal microbicide, **480**
case notification, Passive sentinel surveillance system for sexually transmitted diseases in primary healthcare sites in Ethiopia, 1991–3, **131**
cerebrospinal fluid, Cerebrospinal fluid tau concentrations in HIV infected patients with suspected neurological disease, **443**
Detection of 14-3-3 brain protein in cerebrospinal fluid of HIV infected patients: *letter*, **408**
cervical cytology, Nurse counselling for women with abnormal cervical cytology improves colposcopy and cytology follow up attendance rates: *letter*, **322**
cervical disease, A longitudinal study of HPV detection and cervical pathology in HIV infected women, **257**
cervical infections, Prevalence of HPV cervical infections among imprisoned women in Barcelona, Spain: *letter*, **58**
cervical neoplasia, Attack rates of human papillomavirus type 16 and cervical neoplasia in primiparous women and field trial designs for HPV16 vaccination, **13**
cervicitis, Ciprofloxacin 250 mg for treating gonococcal urethritis and cervicitis: *letter*, **495**
chancroid, Chancroid in the United Kingdom: *editorial*, **67**
Diagnostic tests for chancroid, **137**
chaperones, Chaperoning male patients: *letter*, **495**
cheilitis, Cheilitis in association with indinavir: *letter*, **323**
chest radiograph, Pleural effusions in patients with AIDS, **122**
Chester chronicles, 57, 142, 320, 406, 494
child abuse, The association between abuse in childhood and STD/HIV risk behaviours in female genitourinary (GU) clinic attendees, **457**
chlamydia, Baseline STD prevalence in a community intervention trial of the female condom in Kenya, **454**
Immunological basis of chlamydia induced reactive arthritis: *review*, **156**
Phone sex: information technology (IT) and sexually transmitted infection in young people: *letter*, **322**
Prevalence of *Chlamydia trachomatis* in young men in north west London, **273**
Sociodemography of genital *Chlamydia trachomatis* in Coventry, UK, 1992–6, **103**
The future of chlamydia screening: *editorial*, **233**
The management of *Chlamydia trachomatis:* combined community and hospital study, **493**
chlamydial infection, Acceptability of home screening for chlamydial infection: some remaining issues: *letter*, **321**
Home screening for chlamydial genital infection: is it acceptable to young men and women?, **25**
Chlamydia trachomatis, A new visual indicator of chlamydial cervicitis?, **46**
An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases*, **5**
Epidemiology of ectopic pregnancy during a 28 year period and the role of pelvic inflammatory disease, **28**
Genital *Chlamydia trachomatis* infections in Lithuanian women invited for screening via newspaper advertisement: a pilot study, **216**
Geomapping of chlamydia and gonorrhoea in Birmingham, **268**
Low diagnostic accuracy of selective screening criteria for asymptomatic *Chlamydia trachomatis* infections in the general population, **375**
Recurrence of urogenital *Chlamydia trachomatis* infection evaluated by mailed samples obtained at home: 24 weeks' prospective follow up study, **169**
Syndromic management of vaginal discharge among women in a reproductive health clinic in India, **303**
The *sac-4* gene of *Neisseria gonorrhoeae* and co-existing chlamydial infection, **400**
cidofovir, Successful treatment of recalcitrant condyloma with topical cidofovir: *letter*, **143**
ciprofloxacin, Ciprofloxacin 250 mg for treating gonococcal urethritis and cervicitis: *letter*, **495**
circumcision, Circumcision and STD in the United States: cross sectional and cohort analyses, **474**
clinical epidemiology, Overview of study design in clinical epidemiology, **244**
cluster randomisation, Baseline STD prevalence in a community intervention trial of the female condom in Kenya, **454**
CMV retinitis, Herpesvirus infection of eye and brain in HIV infected patients, **282**
coitarche, Sexual behaviour and early coitarche in a national sample of 17 year old Swedish girls, **98**
colorimetric detection, A colorimetric detection system for *Calymmatobacterium granulomatis* , **134**
colposcopy, Nurse counselling for women with abnormal cervical cytology improves colposcopy and cytology follow up attendance rates: *letter*, **322**
condoms, Baseline STD prevalence in a community intervention trial of the female condom in Kenya, **454**
Condoms and warts: *letter*, **220**
Sexual partner reduction and HIV infection: *letter*, **145**
condyloma, Successful treatment of recalcitrant condyloma with topical cidofovir: *letter*, **143**

condylomata acuminata, European course on HPV associated pathology: guidelines for primary care physicians for the diagnosis and management of anogenital warts, **162**
Conference news, Conference news, **218**
contraception, The power of information and contraceptive choice in a family planning setting in Mexico, **277**
contraceptives, The power of information and contraceptive choice in a family planning setting in Mexico: *letter,* **497**
COPE Report 1999, The COPE Report 1999: *editorial,* **68**
country of acquisition, Ethnicity and country of acquisition of HIV in the current Leicester genitourinary medicine clinic cohort: *letter,* **407**
Coventry, Investigation of the increased incidence of gonorrhoea diagnosed in GUM clinics in England, in 1994–6: *letter,* **496**
"crack" cocaine Health issues associated with increasing use of "crack" cocaine among female sex workers in London, **292**
Cuba, Detection of penicillinase producing *Neisseria gonorrhoeae* strains in Cuba, 1995–8: *letter,* **58**
cunnilingus, The association between receptive cunnilingus and bacterial vaginosis: *letter,* **144**
cytomegalovirus, Is cytomegalovirus viraemia a useful tool in managing CMV disease?, **342**
cytomegalovirus pneumonitis, Immune reconstitution CMV pneumonitis: *letter,* **60**
cytomegalovirus retinitis, HIV associated cytomegalovirus retinitis in Melbourne, Australia: *letter,* **221**

dementia, Cerebrospinal fluid tau concentrations in HIV infected patients with suspected neurological disease, **443**
Does brain penetration of anti-HIV drugs matter?: *editorial,* **1**
deprivation, Sociodemography of genital *Chlamydia trachomatis* in Coventry, UK, 1992–6, **103**
diagnostic tests, Diagnostic tests for chancroid, **137**
DNA detection, Herpesvirus infection of eye and brain in HIV infected patients, **282**
donovanosis, A colorimetric detection system for *Calymmatobacterium granulomatis* , **134**
drug use, Sexually transmitted infections, drug use, and risky sex among female sex workers in Guyana, **318**
dual infection, The *sac-4* gene of *Neisseria gonorrhoeae* and co-existing chlamydial infection, **400**
dysfunctional uterine bleeding, A study on the possible association of dysfunctional uterine bleeding with bacterial vaginosis, mycoplasma, ureaplasma, and *Gardnerella vaginalis: letter,* **407**

ectopic pregnancy, Epidemiology of ectopic pregnancy during a 28 year period and the role of pelvic inflammatory disease, **28**
efavirenz, Photosensitivity reaction to efavirenz: *letter,* **221**
elderly people, Sexually transmitted infections in elderly people: *letter,* **222**
England, Comparison of risk factors for four sexually transmitted infections: results from a study of attenders at three genitourinary medicine clinics in England, **262**
Investigation of the increased incidence of gonorrhoea diagnosed in genitourinary medicine clinics in England, 1994–6, **18**
epidemiology, Dorsal perforation of prepuce: a common end point of severe ulcerative genital diseases?, **210**
Prevalence of HTLV infection in pregnant women in Spain, **366**
Sociodemography of genital *Chlamydia trachomatis* in Coventry, UK, 1992–6, **103**
Syphilis and gonorrhoea in the Baltic countries, **214**
Ethiopia, Passive sentinel surveillance system for sexually transmitted diseases in primary healthcare sites in Ethiopia, 1991–3, **131**
ethnic group, Relation between information and advice provision to male GUM clinic attendees and sexual orientation and ethnic group, **198**
ethnicity, Ethnic and demographic variations in HIV/AIDS presentation at two London referral centres 1995–9, **215**
Ethnicity and country of acquisition of HIV in the current Leicester genitourinary medicine clinic cohort: *letter,* **407**
Geomapping of chlamydia and gonorrhoea in Birmingham, **268**
Sociodemography of genital *Chlamydia trachomatis* in Coventry, UK, 1992–6, **103**
evaluation, An evaluation of near patient tests for detecting herpes simplex virus type-2 antibody, **381**
STI prevention and the male sex industry in London: evaluating a pilot peer education programme, **447**

family planning, The power of information and contraceptive choice in a family planning setting in Mexico: *letter,* **497**
female sex workers, Health issues associated with increasing use of "crack" cocaine among female sex workers in London, **292**
Sexually transmitted infections, drug use, and risky sex among female sex workers in Guyana, **318**
filariasis, Lymphatic filariasis—lest we forget: *letter,* **321**

Gardnerella vaginalis, A study on the possible association of dysfunctional uterine bleeding with bacterial vaginosis, mycoplasma, ureaplasma, and *Gardnerella vaginalis: letter,* **407**
general practice, The management of *Chlamydia trachomatis:* combined community and hospital study, **493**
general practitioners, Knowledge, attitudes, and practices regarding sexually transmitted infections among general practitioners and medical specialists in Karachi, Pakistan, **383**
genital herpes, First episodes of genital herpes in a Swedish STD population: a study of epidemiology and transmission by the use of herpes simplex virus (HSV) typing and specific serology, **179**
The burden of infection with HSV-1 and HSV-2 in England and Wales: implications for the changing epidemiology of genital herpes, **183**
genital ulcer, Chancroid in the United Kingdom: *editorial,* **67**
Dorsal perforation of prepuce: a common end point of severe ulcerative genital diseases?, **210**
genitourinary medicine, How much interest is the internet to patients?, **393**
genitourinary medicine clinics, Clinical features of lichen sclerosus in men attending a department of genitourinary medicine, **311**
Comparison of risk factors for four sexually transmitted infections: results from a study of attenders at three genitourinary medicine clinics in England, **262**
Ethnicity and country of acquisition of HIV in the current Leicester genitourinary medicine clinic cohort: *letter,* **407**
Investigation of the increased incidence of gonorrhoea diagnosed in genitourinary medicine clinics in England, 1994–6, **18**
Prevalence of sexual dysfunction in new heterosexual attenders at a central London genitourinary medicine clinic in 1998, **208**
Psychological consequences of sexual assault among female attenders at a genitourinary medicine clinic, **49**
Retrospective study of male lichen sclerosus and outcome in Leicester: 1995–9 inclusive: experience of a genitourinary medicine clinic: *letter,* **495**
Screening for HIV infection in genitourinary medicine clinics: a lost opportunity?, **307**
genitourinary medicine departments, Bladder carcinoma presenting to genitourinary medicine departments: *letter,* **143**
geomapping, Geomapping of chlamydia and gonorrhoea in Birmingham, **268**
globalisation, AIDS and globalisation: *editorial,* **154**
AIDS and globalisation: *letter,* **497**
gonococcal salpingitis, An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases,* **5**
gonococcal urethritis, Ciprofloxacin 250 mg for treating gonococcal urethritis and cervicitis: *letter,* **495**
gonorrhoea, Baseline STD prevalence in a community intervention trial of the female condom in Kenya, **454**
Epidemiology of ectopic pregnancy during a 28 year period and the role of pelvic inflammatory disease, **28**
Geomapping of chlamydia and gonorrhoea in Birmingham, **268**
Gonorrhoea: an incidence graph of Mersey region data for the 1990s and discussion on the factors behind the changing pattern of incidence: *letter,* **323**
Investigation of the increased incidence of gonorrhoea diagnosed in genitourinary medicine clinics in England, 1994–6, **18**
Investigation of the increased incidence of gonorrhoea diagnosed in GUM clinics in England, in 1994–6: *letter,* **496**
Syphilis and gonorrhoea in the Baltic countries, **214**
Trends in gonorrhoea in nine western European countries, 1991–6, **110**
granuloma, Pyogenic granuloma of the penis—don't squeeze them, **217**
Greece, Syphilis screening programme in Athens, 1974–98, **53**
guidelines, Comparing guidelines for the management of anogenital warts: *editorial,* **153**
European course on HPV associated pathology: guidelines for primary care physicians for the diagnosis and management of anogenital warts, **162**
Guidelines for serological testing for syphilis, **403**
Guyana, Sexually transmitted infections, drug use, and risky sex among female sex workers in Guyana, **318**

HAART, Features of AIDS and AIDS defining diseases during the highly active antiretroviral therapy (HAART) era, compared with the pre-HAART period: a case-control study: *letter,* **145**
Pyrexia of undetermined origin in the era of HAART, **484**
Haemophilus ducreyi, Diagnostic tests for chancroid, **137**
haemorrhage, Inferior vena cava filters for HIV infected patients with pulmonary embolism and contraindications to anticoagulation, **395**
Harrison L W, An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases,* **5**
Helicobacter pylori, *Helicobacter pylori* **infection transmitted sexually via oral-genital contact: a hypothetical model, 489**
hepatitis B, Hepatitis B vaccination in a high risk MSM population: the need for vaccine education: *letter,* **408**
Sexual co-transmission of HIV, hepatitis B, and hepatitis C viruses, **317**
hepatitis C, Sexual co-transmission of HIV, hepatitis B, and hepatitis C viruses, **317**
herpes simplex virus, An evaluation of near patient tests for detecting herpes simplex virus type-2 antibody, **381**

Dorsal perforation of prepuce: a common end point of severe ulcerative genital diseases?, **210**
First episodes of genital herpes in a Swedish STD population: a study of epidemiology and transmission by the use of herpes simplex virus (HSV) typing and specific serology, **179**
Neonatal herpes prevention: a minor public health problem in some communities, **287**
The burden of infection with HSV-1 and HSV-2 in England and Wales: implications for the changing epidemiology of genital herpes, **183**

herpesviruses, Herpesvirus infection of eye and brain in HIV infected patients, **282**

histoplasmosis, Extrapulmonary tuberculosis masking disseminated histoplasmosis in AIDS, **54**

HIV, A longitudinal study of HPV detection and cervical pathology in HIV infected women, **257**
AIDS related systemic non-Hodgkin's lymphoma: *review,* **335**
Chancroid in the United Kingdom: *editorial,* **67**
Detection of 14-3-3 brain protein in cerebrospinal fluid of HIV infected patients: *letter,* **408**
Does brain penetration of anti-HIV drugs matter?: *editorial,* **1**
Ethnic and demographic variations in HIV/AIDS presentation at two London referral centres 1995–9, **215**
Ethnicity and country of acquisition of HIV in the current Leicester genitourinary medicine clinic cohort: *letter,* **407**
HIV associated culture proved tuberculosis has increased in north central London from 1990 to 1996, **43**
HIV associated cytomegalovirus retinitis in Melbourne, Australia: *letter,* **221**
HIV seropositivity in women with syphilis in Delhi, India: *letter,* **59**
HIV, sexually transmitted infections, and risk behaviours in male commercial sex workers in Sydney, **294**
Inferior vena cava filters for HIV infected patients with pulmonary embolism and contraindications to anticoagulation, **395**
Is cytomegalovirus viraemia a useful tool in managing CMV disease?, **342**
Trichomonas vaginalis epidemiology: parameterising and analysing a model of treatment interventions, **248**
Predictors of time spent on partner notification in four US sites, **371**
Preventing mother to child transmission of HIV: the role of caesarean section: *editorial,* **231**
Report of sexually transmitted diseases by HIV infected men during follow up: time to target the HIV infected?, **188**
Rising HIV prevalence in STD clinic attenders at Chandigarh (north India)— a relatively low prevalence area: *letter,* **59**
Screening for HIV infection in genitourinary medicine clinics: a lost opportunity?, **307**
Seroprevalence of syphilis among women attending urban antenatal clinics in Burkina Faso, 1995–8, **314**
Sexual co-transmission of HIV, hepatitis B, and hepatitis C viruses, **317**
Sexually transmitted infections among HIV seropositive men and women, **350**
Sexually transmitted infections and HIV in a rural community in the Lesotho highlands, **39**
Sexually transmitted infections and risk behaviours in women who have sex with women, **345**
Sexually transmitted infections, drug use, and risky sex among female sex workers in Guyana, **318**
The repertoire of human efforts to avoid sexually transmissible diseases: past and present. Part 2: Strategies used during or after sex, **88**
The significance of oral health in HIV disease: *review,* **236**
Willingness to participate in HIV-1 vaccine trials among young Thai men, **386**

HIV infection, Atrial myxoma and HIV infection: *letter,* **144**
Bacterial vaginosis and HIV infection: *editorial,* **3**
Sexual partner reduction and HIV infection: *letter,* **145**
The repertoire of human efforts to avoid sexually transmissible diseases: past and present Part 1: Strategies used before or instead of sex, **7**

HIV prevalence, Predictors of syphilis seroreactivity and prevalence of HIV among street recruited injection drug users in Los Angeles County, 1994–6, **462**

HIV transmission, Sexually transmitted infections among HIV seropositive men and women, **350**

home screening, Acceptability of home screening for chlamydial infection: some remaining issues: *letter,* **321**

home testing, Phone sex: information technology (IT) and sexually transmitted infection in young people: *letter,* **322**

homosexual men, Hepatitis B vaccination in a high risk MSM population: the need for vaccine education: *letter,* **408**

HTLV, Prevalence of HTLV infection in pregnant women in Spain, **366**

human papillomavirus, A longitudinal study of HPV detection and cervical pathology in HIV infected women, **257**
Attack rates of human papillomavirus type 16 and cervical neoplasia in primiparous women and field trial designs for HPV16 vaccination, **13**
European course on HPV associated pathology: guidelines for primary care physicians for the diagnosis and management of anogenital warts, **162**
Prevalence of HPV cervical infections among imprisoned women in Barcelona, Spain: *letter,* **58**

immunology, Immunological basis of chlamydia induced reactive arthritis: *review,* **156**

India, HIV seropositivity in women with syphilis in Delhi, India: *letter,* **59**
Rising HIV prevalence in STD clinic attenders at Chandigarh (north India)— a relatively low prevalence area: *letter,* **59**
Syndromic management of vaginal discharge among women in a reproductive health clinic in India, **303**

indinavir, Cheilitis in association with indinavir: *letter,* **323**

injection drug users, Predictors of syphilis seroreactivity and prevalence of HIV among street recruited injection drug users in Los Angeles County, 1994–6, **462**

internet, How much interest is the internet to patients?, **393**

intervention, An intervention study to reduce adverse pregnancy outcomes as a result of syphilis in Mozambique, **203**

Italy, Dorsal perforation of prepuce: a common end point of severe ulcerative genital diseases?, **210**

Kaposi's sarcoma, Pleural effusions in patients with AIDS, **122**

Kenya, Effect of a syphilis control programme on pregnancy outcome in Nairobi, Kenya, **117**
Validity of the vaginal discharge algorithm among pregnant and non-pregnant women in Nairobi, Kenya, **33**

Leicester, Ethnicity and country of acquisition of HIV in the current Leicester genitourinary medicine clinic cohort: *letter,* **407**
Retrospective study of male lichen sclerosus and outcome in Leicester: 1995–9 inclusive: experience of a genitourinary medicine clinic: *letter,* **495**

lesbians, Sexually transmitted infections and risk behaviours in women who have sex with women, **345**
Sexually transmitted infections in women who have sex with women: who cares?: *editorial,* **330**
WSW status needs further definition: *letter,* **497**

lichen sclerosus, Clinical features of lichen sclerosus in men attending a department of genitourinary medicine, **311**
Retrospective study of male lichen sclerosus and outcome in Leicester: 1995–9 inclusive: experience of a genitourinary medicine clinic: *letter,* **495**

ligase chain reaction, *Chlamydia trachomatis,* Assessment of *Chlamydia trachomatis* prevalence by PCR and LCR in women presenting for termination of pregnancy, **173**
Recurrence of urogenital *Chlamydia trachomatis* infection evaluated by mailed samples obtained at home: 24 weeks' prospective follow up study, **169**

Lithuania, Genital *Chlamydia trachomatis* infections in Lithuanian women invited for screening via newspaper advertisement: a pilot study, **216**

London, Health issues associated with increasing use of "crack" cocaine among female sex workers in London, **292**
Prevalence of *Chlamydia trachomatis* in young men in north west London, **273**
Prevalence of sexual dysfunction in new heterosexual attenders at a central London genitourinary medicine clinic in 1998, **208**

magnetic resonance imaging, Cerebrospinal fluid tau concentrations in HIV infected patients with suspected neurological disease, **443**

male commercial sex workers, HIV, sexually transmitted infections, and risk behaviours in male commercial sex workers in Sydney, **294**

male GUM clinic attendees, Relation between information and advice provision to male GUM clinic attendees and sexual orientation and ethnic group, **198**

male patients, Chaperoning male patients: *letter,* **495**

male sex workers, STI prevention and the male sex industry in London: evaluating a pilot peer education programme, **447**

mathematical modelling, *Trichomonas vaginalis* epidemiology: parameterising and analysing a model of treatment interventions, **248**

medical professional secrecy, An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases*, **5**

men, Clinical features of lichen sclerosus in men attending a department of genitourinary medicine, **311**
Prevalence of *Chlamydia trachomatis* in young men in north west London, **273**

Mersey Region, Gonorrhoea: an incidence graph of Mersey region data for the 1990s and discussion on the factors behind the changing pattern of incidence: *letter,* **323**

Mexico, The power of information and contraceptive choice in a family planning setting in Mexico: *letter,* **497**

microbicide, A phase I study of a novel potential intravaginal microbicide, PRO 2000, in healthy sexually inactive women, **126**
Preliminary safety and acceptability of a carrageenan gel for possible use as a vaginal microbicide, **480**

military, The repertoire of human efforts to avoid sexually transmissible diseases: past and present. Part 2: Strategies used during or after sex, **88**
molecular diagnosis, A colorimetric detection system for *Calymmatobacterium granulomatis* , **134**
mother to child transmission, Preventing mother to child transmission of HIV: the role of caesarean section: *editorial,* **231**
Mozambique, An intervention study to reduce adverse pregnancy outcomes as a result of syphilis in Mozambique, **203**
multidrug resistant tuberculosis, HIV associated culture proved tuberculosis has increased in north central London from 1990 to 1996, **43**
mycoplasma, A study on the possible association of dysfunctional uterine bleeding with bacterial vaginosis, mycoplasma, ureaplasma, and *Gardnerella vaginalis: letter,* **407**

necropsy, Herpesvirus infection of eye and brain in HIV infected patients, **282**
Neisseria gonorrhoeae, The *sac-4* gene of *Neisseria gonorrhoeae* and co-existing chlamydial infection, **400**
neonatal herpes, Neonatal herpes prevention: a minor public health problem in some communities, **287**
Newly Independent States, Recent declines in reported syphilis rates in eastern Europe and central Asia: are the epidemics over?, **363**
non-albicans species, Vaginal yeasts in the era of "over the counter" antifungals, **437**
non-gonococcal salpingitis, An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases*, **5**
non-Hodgkin's lymphoma, AIDS related systemic non-Hodgkin's lymphoma: *review,* **335**
non-invasive sampling, Home screening for chlamydial genital infection: is it acceptable to young men and women?, **25**
non-specific urethritis, Azithromycin *v* oxytetracycline for the treatment of non-specific urethritis: *letter,* **222**
nosocomial transmission, HIV associated culture proved tuberculosis has increased in north central London from 1990 to 1996, **43**
nurse counselling, Nurse counselling for women with abnormal cervical cytology improves colposcopy and cytology follow up attendance rates: *letter,* **322**

obituary, Eric Dunlop, **235**
Ambrose J King, **418**
John David Oriel, **417**
ocular syndromes, An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases*, **5**
oral lesions, The significance of oral health in HIV disease: *review,* **236**
oral-genital contact, *Helicobacter pylori* infection transmitted sexually via oral-genital contact: a hypothetical model, **489**
oxytetracycline, Azithromycin *v* oxytetracycline for the treatment of non-specific urethritis: *letter,* **222**

papillomavirus, Successful treatment of recalcitrant condyloma with topical cidofovir: *letter,* **143**
partner notification, Is partner notification in the public interest?: *letter,* **145**
Predictors of time spent on partner notification in four US sites, **371**
partner selection, The repertoire of human efforts to avoid sexually transmissible diseases: past and present Part 1: Strategies used before or instead of sex, **7**
peer education, STI prevention and the male sex industry in London: evaluating a pilot peer education programme, **447**
pelvic inflammatory disease, Pelvic inflammatory disease epidemiology: what do we know and what do we need to know?: *review,* **80**
Assessment of risk for pelvic inflammatory disease in an urban sexual health population, **470**
Epidemiology of ectopic pregnancy during a 28 year period and the role of pelvic inflammatory disease, **28**
pelvic pain, Chronic pelvic pain: clinical dilemma or clinician's nightmare, **419**
penicillin resistance, Investigation of the increased incidence of gonorrhoea diagnosed in GUM clinics in England, in 1994–6: *letter,* **496**
penicillinase producing *Neisseria gonorrhoeae*, Detection of penicillinase producing *Neisseria gonorrhoeae* strains in Cuba, 1995–8: *letter,* **58**
penis, Pyogenic granuloma of the penis—don't squeeze them, **217**
pharmacists, Syndromic management of urethral discharge in Ghanaian pharmacies, **439**
photosensitivity reaction, Photosensitivity reaction to efavirenz: *letter,* **221**
pleural effusion, Pleural effusions in patients with AIDS, **122**
POCkit HSV-2 test, An evaluation of near patient tests for detecting herpes simplex virus type-2 antibody, **381**
polymerase chain reaction, Assessment of *Chlamydia trachomatis* prevalence by PCR and LCR in women presenting for termination of pregnancy, **173**
Chlamydia trachomatis, Combined cervical swab and urine specimens for PCR diagnosis of genital *Chlamydia trachomatis* infection, **177**
postal research, Postal research: too many problems?: *editorial,* **332**
pregnancy, An intervention study to reduce adverse pregnancy outcomes as a result of syphilis in Mozambique, **203**
Assessment of *Chlamydia trachomatis* prevalence by PCR and LCR in women presenting for termination of pregnancy, **173**
Syphilis in pregnancy: *review,* **73**
Validity of the vaginal discharge algorithm among pregnant and non-pregnant women in Nairobi, Kenya, **33**
pregnancy outcome, Effect of a syphilis control programme on pregnancy outcome in Nairobi, Kenya, **117**
pregnant women, Prevalence of HTLV infection in pregnant women in Spain, **366**
Seroprevalence of syphilis among women attending urban antenatal clinics in Burkina Faso, 1995–8, **314**
prepuce, Dorsal perforation of prepuce: a common end point of severe ulcerative genital diseases?, **210**
prevalence, Low diagnostic accuracy of selective screening criteria for asymptomatic *Chlamydia trachomatis* infections in the general population, **375**
Prevalence of *Chlamydia trachomatis* in young men in north west London, **273**
The burden of infection with HSV-1 and HSV-2 in England and Wales: implications for the changing epidemiology of genital herpes, **183**
private pharmacies, STD management by private pharmacies in Hanoi: practice and knowledge of drug sellers, **299**
PRO 2000, A phase I study of a novel potential intravaginal microbicide, PRO 2000, in healthy sexually inactive women, **126**
programme performance, Operational performance of an STD control programme in Mwanza Region, Tanzania, **426**
prostatitis, Short course oral prednisolone therapy in chronic abacterial prostatitis and prostatodynia: case reports of three responders and one non-responder, **398**
prostatodynia, Short course oral prednisolone therapy in chronic abacterial prostatitis and prostatodynia: case reports of three responders and one non-responder, **398**
prostitutes, HIV, sexually transmitted infections, and risk behaviours in male commercial sex workers in Sydney, **294**
prostitution, The repertoire of human efforts to avoid sexually transmissible diseases: past and present. Part 2: Strategies used during or after sex, **88**
psychology, The association between abuse in childhood and STD/HIV risk behaviours in female genitourinary (GU) clinic attendees, **457**
public interest, Is partner notification in the public interest?: *letter,* **145**
pulmonary embolism, Inferior vena cava filters for HIV infected patients with pulmonary embolism and contraindications to anticoagulation, **395**
pyogenic granuloma, Multiple, genital lobular capillary haemangioma (pyogenic granuloma) in a young woman: a diagnostic puzzle, **51**

reactive arthritis, Immunological basis of chlamydia induced reactive arthritis: *review,* **156**
recurrent infection, Recurrence of urogenital *Chlamydia trachomatis* infection evaluated by mailed samples obtained at home: 24 weeks' prospective follow up study, **169**
referral, Ethnic and demographic variations in HIV/AIDS presentation at two London referral centres 1995–9, **215**
Reiter's syndrome, Carbamazepine in Reiter's syndrome: *letter,* **220**
reproductive health, Syndromic management of vaginal discharge among women in a reproductive health clinic in India, **303**
The power of information and contraceptive choice in a family planning setting in Mexico, **277**
risk behaviour, The association between abuse in childhood and STD/HIV risk behaviours in female genitourinary (GU) clinic attendees, **457**
risk factors, A new visual indicator of chlamydial cervicitis?, **46**
Assessment of risk for pelvic inflammatory disease in an urban sexual health population, **470**
Comparison of risk factors for four sexually transmitted infections: results from a study of attenders at three genitourinary medicine clinics in England, **262**
risk markers, Assessment of risk for pelvic inflammatory disease in an urban sexual health population, **470**

***sac-4*,** The *sac-4* gene of *Neisseria gonorrhoeae* and co-existing chlamydial infection, **400**
San Francisco, Are adolescents being screened for sexually transmitted diseases? A study of low income African American adolescents in San Francisco, **94**
screening, Are adolescents being screened for sexually transmitted diseases? A study of low income African American adolescents in San Francisco, **94**
Genital *Chlamydia trachomatis* infections in Lithuanian women invited for screening via newspaper advertisement: a pilot study, **216**
Home screening for chlamydial genital infection: is it acceptable to young men and women?, **25**
Low diagnostic accuracy of selective screening criteria for asymptomatic *Chlamydia trachomatis* infections in the general population, **375**

Trichomonas vaginalis epidemiology: parameterising and analysing a model of treatment interventions, **248**
Phone sex: information technology (IT) and sexually transmitted infection in young people: *letter*, **322**
Syphilis screening programme in Athens, 1974–98, **53**
The future of chlamydia screening: *editorial*, **233**
serodiagnosis, Guidelines for serological testing for syphilis, **403**
seropositivity, HIV seropositivity in women with syphilis in Delhi, India: *letter*, **59**
sex, Sexual behaviour and early coitarche in a national sample of 17 year old Swedish girls, **98**
sex practices, Sexually transmitted infections, drug use, and risky sex among female sex workers in Guyana, **318**
sexual abuse, Sexual behaviour and early coitarche in a national sample of 17 year old Swedish girls, **98**
sexual assault, Psychological consequences of sexual assault among female attenders at a genitourinary medicine clinic, **49**
sexual behaviour, Sexual behaviour and early coitarche in a national sample of 17 year old Swedish girls, **98**
Sexual partner reduction and HIV infection: *letter*, **145**
sexual dysfunction, Prevalence of sexual dysfunction in new heterosexual attenders at a central London genitourinary medicine clinic in 1998, **208**
sexual health, How much interest is the internet to patients?, **393**
sexual mixing, Patterns of sexual mixing: mechanisms for or limits to the spread of STIs?: *editorial*, **415**
sexual orientation, Relation between information and advice provision to male GUM clinic attendees and sexual orientation and ethnic group, **198**
sexual partners, Sexual partner reduction and HIV infection: *letter*, **145**
sexual risk, Sexually transmitted infections among HIV seropositive men and women, **350**
sexually transmitted diseases, Are adolescents being screened for sexually transmitted diseases? A study of low income African American adolescents in San Francisco, **94**
Circumcision and STD in the United States: cross sectional and cohort analyses, **474**
Epidemiology of ectopic pregnancy during a 28 year period and the role of pelvic inflammatory disease, **28**
Passive sentinel surveillance system for sexually transmitted diseases in primary healthcare sites in Ethiopia, 1991–3, **131**
Report of sexually transmitted diseases by HIV infected men during follow up: time to target the HIV infected?, **188**
Rising HIV prevalence in STD clinic attenders at Chandigarh (north India)— a relatively low prevalence area: *letter*, **59**
STD management by private pharmacies in Hanoi: practice and knowledge of drug sellers, **299**
The power of information and contraceptive choice in a family planning setting in Mexico, **277**
The repertoire of human efforts to avoid sexually transmissible diseases: past and present Part 1: Strategies used before or instead of sex, **7**
The repertoire of human efforts to avoid sexually transmissible diseases: past and present. Part 2: Strategies used during or after sex, **88**
Validity of the vaginal discharge algorithm among pregnant and non-pregnant women in Nairobi, Kenya, **33**
sexually transmitted infections, An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases*, **5**
Canary to sparrow; what is in a name?: *letter*, **321**
Chancroid in the United Kingdom: *editorial*, **67**
Comparison of risk factors for four sexually transmitted infections: results from a study of attenders at three genitourinary medicine clinics in England, **262**
HIV, sexually transmitted infections, and risk behaviours in male commercial sex workers in Sydney, **294**
Knowledge, attitudes, and practices regarding sexually transmitted infections among general practitioners and medical specialists in Karachi, Pakistan, **383**
Helicobacter pylori infection transmitted sexually via oral-genital contact: a hypothetical model, **489**
Operational performance of an STD control programme in Mwanza Region, Tanzania, **426**
Patterns of sexual mixing: mechanisms for or limits to the spread of STIs?: *editorial*, **415**
Recent declines in reported syphilis rates in eastern Europe and central Asia: are the epidemics over?, **363**
Russian *STI*: *letter*, **323**
Sexually transmitted infections and HIV in a rural community in the Lesotho highlands, **39**
Sexually transmitted infections and risk behaviours in women who have sex with women, **345**
Sexually transmitted infections in elderly people: *letter*, **222**
Sexually transmitted infections in women who have sex with women: who cares?: *editorial*, **330**
Syndromic management of urethral discharge in Ghanaian pharmacies, **439**
The association between abuse in childhood and STD/HIV risk behaviours in female genitourinary (GU) clinic attendees, **457**
WSW status needs further definition: *letter*, **497**
simulated client methods, STD management by private pharmacies in Hanoi: practice and knowledge of drug sellers, **299**
Spain, Prevalence of HPV cervical infections among imprisoned women in Barcelona, Spain: *letter*, **58**
STD, Predictors of time spent on partner notification in four US sites, **371**
steroids, Short course oral prednisolone therapy in chronic abacterial prostatitis and prostatodynia: case reports of three responders and one non-responder, **398**
STI Online; *Sexually Transmitted Infections*, Farewell to Gutenberg?: *editorial*, **329**
"stone", A "stone" in the vulva, **319**
study design, Overview of study design in clinical epidemiology, **244**
survival, Survival by AIDS defining condition in rural Uganda, **193**
Sweden, Epidemiology of ectopic pregnancy during a 28 year period and the role of pelvic inflammatory disease, **28**
syndromic approach, Syndromic management of vaginal discharge among women in a reproductive health clinic in India, **303**
syndromic management, *Trichomonas vaginalis* epidemiology: parameterising and analysing a model of treatment interventions, **248**
Syndromic management of urethral discharge in Ghanaian pharmacies, **439**
syndromic treatment, Operational performance of an STD control programme in Mwanza Region, Tanzania, **426**
syphilis, An intervention study to reduce adverse pregnancy outcomes as a result of syphilis in Mozambique, **203**
Guidelines for serological testing for syphilis, **403**
HIV seropositivity in women with syphilis in Delhi, India: *letter*, **59**
Recent declines in reported syphilis rates in eastern Europe and central Asia: are the epidemics over?, **363**
Seroprevalence of syphilis among women attending urban antenatal clinics in Burkina Faso, 1995–8, **314**
Syphilis and gonorrhoea in the Baltic countries, **214**
Syphilis in pregnancy: *review*, **73**
Syphilis screening programme in Athens, 1974–98, **53**
Tertiary syphilis: *letter*, **222**
syphilis incidence, Predictors of syphilis seroreactivity and prevalence of HIV among street recruited injection drug users in Los Angeles County, 1994–6, **462**
syphilis testing, Effect of a syphilis control programme on pregnancy outcome in Nairobi, Kenya, **117**

Tanzania, Operational performance of an STD control programme in Mwanza Region, Tanzania, **426**
Trichomonas vaginalis, High prevalence of trichomoniasis in rural men in Mwanza, Tanzania: results from a population based study, **355**
tau, Cerebrospinal fluid tau concentrations in HIV infected patients with suspected neurological disease, **443**
Thailand, Willingness to participate in HIV-1 vaccine trials among young Thai men, **386**
toxicity, A phase I study of a novel potential intravaginal microbicide, PRO 2000, in healthy sexually inactive women, **126**
trachoma inclusion conjunctivitis, An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases*, **5**
treponemes, An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases*, **5**
TRIC virus, An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases*, **5**
Trichomonas vaginalis, Baseline STD prevalence in a community intervention trial of the female condom in Kenya, **454**
Trichomonas vaginalis epidemiology: parameterising and analysing a model of treatment interventions, **248**
trichomoniasis, *Trichomonas vaginalis* epidemiology: parameterising and analysing a model of treatment interventions, **248**
tropical spastic paraparesis, Prevalence of HTLV infection in pregnant women in Spain, **366**
tuberculosis, Extrapulmonary tuberculosis masking disseminated histoplasmosis in AIDS, **54**
HIV associated culture proved tuberculosis has increased in north central London from 1990 to 1996, **43**
type specific serology, Neonatal herpes prevention: a minor public health problem in some communities, **287**

United States, Circumcision and STD in the United States: cross sectional and cohort analyses, **474**
ureaplasma, A study on the possible association of dysfunctional uterine bleeding with bacterial vaginosis, mycoplasma, ureaplasma, and *Gardnerella vaginalis*: *letter*, **407**
urethritis, High prevalence of trichomoniasis in rural men in Mwanza, Tanzania: results from a population based study, **355**

vaccination, Attack rates of human papillomavirus type 16 and cervical neoplasia in primiparous women and field trial designs for HPV16 vaccination, **13**
vaccine, Hepatitis B vaccination in a high risk MSM population: the need for vaccine education: *letter*, **408**
Willingness to participate in HIV-1 vaccine trials among young Thai men, **386**

vagina, *Helicobacter pylori* infection transmitted sexually via oral-genital contact: a hypothetical model, **489**
vaginal discharge, Syndromic management of vaginal discharge among women in a reproductive health clinic in India, **303**
venereal diseases, An introduction to sexually transmitted infections: the 1976 volume of the *British Journal of Venereal Diseases*, **5**
viraemia, Is cytomegalovirus viraemia a useful tool in managing CMV disease?, **342**
vulva, A "stone" in the vulva, **319**
Multiple, genital lobular capillary haemangioma (pyogenic granuloma) in a young woman: a diagnostic puzzle, **51**
vulvovaginal candidiasis, Vaginal yeasts in the era of "over the counter" antifungals, **437**

warts, Condoms and warts: *letter*, **220**
western Europe, Trends in gonorrhoea in nine western European countries, 1991–6, **110**
women, A new visual indicator of chlamydial cervicitis?, **46**
A phase I study of a novel potential intravaginal microbicide, PRO 2000, in healthy sexually inactive women, **126**
HIV seropositivity in women with syphilis in Delhi, India: *letter*, **59**
Nurse counselling for women with abnormal cervical cytology improves colposcopy and cytology follow up attendance rates: *letter*, **322**
Prevalence of HPV cervical infections among imprisoned women in Barcelona, Spain: *letter*, **58**
world wide web, Farewell to Gutenberg?: *editorial*, **329**

Zimbabwe, Report of sexually transmitted diseases by HIV infected men during follow up: time to target the HIV infected?, **188**